1999 WE&T EDITORIAL INDEX

A

Activated sludge
- Baffle design — 11(3):33
- Diffusion — 11(2):30

Adham, Samer
- Membrane bioreactors — 11(11):22

Albertson, Orris E.
- Baffle design — 11(3):33

Alexanian, Dan
- Sediment cleanup in Commencement Bay, Wash. — 11(6):51

Anaerobic
- Temperature-phased digestion — 11(3):24

Analysis
- Membrane filtration method for coliform — 11(4):57
- National Environmental Laboratory Accreditation Program — 11(7):41
- Testing methods revised to cut CFC use — 11(9):12

Animal feeding operations
- Gore unveils strategy — 11(6):6
- Hog farms linked to poverty — 11(6):17
- Iowa proposes new rules for — 11(2):8
- WEF briefing on — 11(6):24

Arizona
- Lake Havasu City's water reuse program — 11(1):34

Arnold, Chester L. Jr.
- Land use key to managing nonpoint source pollution — 11(1):41

Austin, Gordon C.
- Lake Pontchartrain, La., stormwater research project — 11(9):32

B

Baturay, Allen
- Incinerator emissions — 11(5):49

Benchmarking
- Metrics — 11(7):30
- Uses and abuses — 11(7):24

Biological treatment
- Biological phosphorus removal — 11(3):28
- Bioscrubber design — 11(2):37
- Moving-bed biofilm reactors — 11(1):27

Biosolids
- Amendments to regulation postponed — 11(4):8
- Incinerator emissions — 11(5):49
- Mine reclamation method — 11(5):42
- National partnership — 11(5):6, 11(11):15
- Radionuclide survey — 11(5):20
- NIOSH study of effects on miners — 11(11):8
- Removed from proposed National Organic Program — 11(11):20
- Treat to create fuel oil — 11(5):82
- Uses on utility-owned land — 11(1):23

Bloom, George
- Competitive plant evaluations — 11(7):35

Bock, Clayton A.
- Common on-the-job hazards — 11(6):47

Boulos, Lina
- Membrane bioreactors — 11(11):22

Bowker, Robert P.G.
- Activated sludge diffusion — 11(2):30

Bradford, Henry
- Lake Pontchartrain, La., stormwater research project — 11(9):32

Brinkman, Doug
- Egg-shaped digesters — 11(10):28

Brown, Jeffrey P.
- Primary effluent filtration — 11(3):37

Buhr, Heinrich O.
- Biological phosphorus removal — 11(3):28

Business
- Orange County (Calif.) Water District retains AA rating — 11(6):26
- Suez Lyonnaise des Eaux to acquire Nalco Chemical — 11(9):14
- Top-performing water, wastewater companies — 11(3):26
- Vivendi acquires USFilter — 11(6):6
- Water, wastewater consulting market — 11(8):6

Butler, Richard
- King County, Wash.'s digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34

C

California
- San Diego treatment facility receives ISO 14001 certification — 11(10):18

Carroll, Robert C.
- Risk management program requirements — 11(5):57

Chesapeake Bay
- Impact crater in — 11(10):15
- Nutrient removal program helps restore — 11(8):22
- Oyster gardens help restore — 11(9):18
- Warmer waters in — 11(1):57
- Wetlands restoration strategy — 11(3):8
- U.S. EPA seeks potential researchers for — 11(6):6

Clark, David
- King County, Wash.'s digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34

Clean Water Act (CWA)
- Does not regulate nonpoint sources — 11(1):72
- Reauthorization ignored by 105th Congress — 11(1):17

Clean Water Action Plan (CWAP)
- Assessments reveal watershed priorities — 11(7):19
- Fiscal year 1999 budget agreement — 11(1):6
- States' approach to — 11(9):184
- U.S. EPA vision for — 11(9):24

Cleveland, Chris
- King County, Wash.'s digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34

Cohen, Alan S.
- Benchmarking uses and abuses — 11(7):24

Coleman, Marv
- Sediment cleanup in Commencement Bay, Wash. — 11(6):51

Collection systems
- Hydraulic grade line status method — 11(12):56
- Municipal caucus walks out on U.S. EPA SSO talks — 11(10):17
- Nashville, Tenn's sewer separation project — 11(6):42
- Nondisruptive stormwater system repairs — 11(10):40
- Overflows not a wet weather issue — 11(12):88
- Small-diameter sewers — 11(1):34
- South Bay, Calif., ocean outfall — 11(3):12
- Submersible lift stations — 11(8):47
- Sulfide suppression — 11(2):45
- Voluntary program speeds sewer separation — 11(8):20

Colorado
- San Miguel County's watershed management program — 11(2):51

Combined sewer overflows
- Related U.S. capitol security measures — 11(2):14

Compliance
- Electronic reporting — 11(7):17
- Environmental assistance for small communities — 11(2):23

Construction
- Construction management approach — 11(8):34
- Emergency response projects — 11(8):40
- Management Web sites — 11(12):47
- Public-private partnerships — 11(8):57

Coral reef
- Additional treatment needed to protect Florida's — 11(8):12
- Artificial ones withstand hurricanes — 11(2):15
- Hot spots could lead to bleaching — 11(1):15

Corrosion
- Microbiologically influenced — 11(4):61

Crook, James
- Indirect potable reuse — 11(5):71

1999 WE&T EDITORIAL INDEX

A

Activated sludge
- Baffle design — 11(3):33
- Diffusion — 11(2):30

Adham, Samer
- Membrane bioreactors — 11(11):22

Albertson, Orris E.
- Baffle design — 11(3):33

Alexanian, Dan
- Sediment cleanup in Commencement Bay, Wash. — 11(6):51

Anaerobic
- Temperature-phased digestion — 11(3):24

Analysis
- Membrane filtration method for coliform — 11(4):57
- National Environmental Laboratory Accreditation Program — 11(7):41
- Testing methods revised to cut CFC use — 11(9):12

Animal feeding operations
- Gore unveils strategy — 11(6):6
- Hog farms linked to poverty — 11(6):17
- Iowa proposes new rules for — 11(2):8
- WEF briefing on — 11(6):24

Arizona
- Lake Havasu City's water reuse program — 11(1):34

Arnold, Chester L. Jr.
- Land use key to managing nonpoint source pollution — 11(1):41

Austin, Gordon C.
- Lake Pontchartrain, La., stormwater research project — 11(9):32

B

Baturay, Allen
- Incinerator emissions — 11(5):49

Benchmarking
- Metrics — 11(7):30
- Uses and abuses — 11(7):24

Biological treatment
- Biological phosphorus removal — 11(3):28
- Bioscrubber design — 11(2):37
- Moving-bed biofilm reactors — 11(1):27

Biosolids
- Amendments to regulation postponed — 11(4):8
- Incinerator emissions — 11(5):49
- Mine reclamation method — 11(5):42
- National partnership — 11(5):6, 11(11):15
- Radionuclide survey — 11(5):20
- NIOSH study of effects on miners — 11(11):8
- Removed from proposed National Organic Program — 11(11):20
- Treat to create fuel oil — 11(5):82
- Uses on utility-owned land — 11(1):23

Bloom, George
- Competitive plant evaluations — 11(7):35

Bock, Clayton A.
- Common on-the-job hazards — 11(6):47

Boulos, Lina
- Membrane bioreactors — 11(11):22

Bowker, Robert P.G.
- Activated sludge diffusion — 11(2):30

Bradford, Henry
- Lake Pontchartrain, La., stormwater research project — 11(9):32

Brinkman, Doug
- Egg-shaped digesters — 11(10):28

Brown, Jeffrey P.
- Primary effluent filtration — 11(3):37

Buhr, Heinrich O.
- Biological phosphorus removal — 11(3):28

Business
- Orange County (Calif.) Water District retains AA rating — 11(6):26
- Suez Lyonnaise des Eaux to acquire Nalco Chemical — 11(9):14
- Top-performing water, wastewater companies — 11(3):26
- Vivendi acquires USFilter — 11(6):6
- Water, wastewater consulting market — 11(8):6

Butler, Richard
- King County, Wash.'s digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34

C

California
- San Diego treatment facility receives ISO 14001 certification — 11(10):18

Carroll, Robert C.
- Risk management program requirements — 11(5):57

Chesapeake Bay
- Impact crater in — 11(10):15
- Nutrient removal program helps restore — 11(8):22
- Oyster gardens help restore — 11(9):18
- Warmer waters in — 11(1):57
- Wetlands restoration strategy — 11(3):8
- U.S. EPA seeks potential researchers for — 11(6):6

Clark, David
- King County, Wash.'s digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34

Clean Water Act (CWA)
- Does not regulate nonpoint sources — 11(1):72
- Reauthorization ignored by 105th Congress — 11(1):17

Clean Water Action Plan (CWAP)
- Assessments reveal watershed priorities — 11(7):19
- Fiscal year 1999 budget agreement — 11(1):6
- States' approach to — 11(9):184
- U.S. EPA vision for — 11(9):24

Cleveland, Chris
- King County, Wash.'s digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34

Cohen, Alan S.
- Benchmarking uses and abuses — 11(7):24

Coleman, Marv
- Sediment cleanup in Commencement Bay, Wash. — 11(6):51

Collection systems
- Hydraulic grade line status method — 11(12):56
- Municipal caucus walks out on U.S. EPA SSO talks — 11(10):17
- Nashville, Tenn's sewer separation project — 11(6):42
- Nondisruptive stormwater system repairs — 11(10):40
- Overflows not a wet weather issue — 11(12):88
- Small-diameter sewers — 11(1):34
- South Bay, Calif., ocean outfall — 11(3):12
- Submersible lift stations — 11(8):47
- Sulfide suppression — 11(2):45
- Voluntary program speeds sewer separation — 11(8):20

Colorado
- San Miguel County's watershed management program — 11(2):51

Combined sewer overflows
- Related U.S. capitol security measures — 11(2):14

Compliance
- Electronic reporting — 11(7):17
- Environmental assistance for small communities — 11(2):23

Construction
- Construction management approach — 11(8):34
- Emergency response projects — 11(8):40
- Management Web sites — 11(12):47
- Public-private partnerships — 11(8):57

Coral reef
- Additional treatment needed to protect Florida's — 11(8):12
- Artificial ones withstand hurricanes — 11(2):15
- Hot spots could lead to bleaching — 11(1):15

Corrosion
- Microbiologically influenced — 11(4):61

Crook, James
- Indirect potable reuse — 11(5):71

Curren, Ken
Sequencing batch reactor system — 11(11):29

D
D'Attilio, Bob
Nondisruptive stormwater system repairs — 11(10):40
Dallaire, Thomas
Water quality criteria inappropriate for metals — 11(9):40
Davis, Kimberly
Establishing a successful stormwater utility — 11(6):36
Design
Activated sludge baffles — 11(3):33
Bioscrubbers — 11(2):37
Submersible lift stations — 11(8):47
Ultraviolet filtration systems — 11(11):34
Digester
Egg-shaped — 11(10):28
Digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34
Dioxin
Draft reassessment expected soon — 11(5):40
Disinfection
Pulsed ultraviolet systems — 11(4):37
Chlorine disinfection mystery — 11(4):42
Ultraviolet system design and operation — 11(11):34
Dombeck, Glen
Effects of large macrophytes in constructed wetlands — 11(9):55
Drinking water
Compared to bottled water — 11(6):16
Dental problems linked to — 11(2):14
Final methods rule — 11(1):6
First public health standards issued — 11(2):6
Link between ulcers, well water bacteria — 11(8):10
Movie creates interest in — 11(4):12
State revolving fund grants — 11(1):6
Stakeholder collaboration key to new rules — 11(2):80

E
Education
Colorado State University trains operators on pilot plant — 11(1):26
Teaching stakeholders to manage nonpoint source pollution — 11(1):41
Enforcement
Atlanta, Ga., penalty for CWA violations is largest ever — 11(11):13
Englande, A.J.
Lake Pontchartrain, La., stormwater research project — 11(9):32
Environmental management systems
Effect on regulatory performance — 11(8):83
For biosolids — 11(5):6
National Biosolids Partnership focuses on — 11(11):15
San Diego, Calif., treatment facility receives ISO 14001 certification — 11(10):18
Equipment
Blower misconceptions (letter) — 11(2):12
Bubble-powered micropump — 11(9):18
Membrane bioreactors — 11(11):22
Microfiltration plant to clean up agricultural runoff — 11(2):17
Moving-bed biofilm reactors — 11(1):27
Pump choices (letter) — 11(3):6
Sequencing batch reactor system — 11(11):29
Sonic test for concrete damage — 11(3):13
Estuaries
Mid-Atlantic ones profiled — 11(2):6
Everglades
Restoration plan — 11(9):21
Eyma, Ronald R.
Submersible lift stations — 11(8):47

F
Felton, Gary
Mine reclamation method for biosolids — 11(5):42
Filtration
Cow-manure filters — 11(9):170
Filtering algae-laden effluent — 11(5):65
Membrane bioreactors — 11(11):22
Primary effluent — 11(3):37
Finger, Richard
King County, Wash.'s digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34
Flamino, Eric
Mine reclamation method for biosolids — 11(5):42
Fraser, John
Filtering algae-laden effluent — 11(5):65
Funding
Association of Metropolitan Sewerage Agencies bill — 11(6):18
Infrastructure funding needed — 11(4):17, 20
Infrastructure an investment, not a cost — 11(7):72
Proposed OSHA budget — 11(4):8
State programs need more — 11(7):10
State revolving fund budget declines — 11(10): 26
Transportation act funds environmental programs — 11(4):34
Wastewater cuts proposed — 11(4):17
Water programs get full funding — 11(12):8

G
Gagliardo, Paul
Membrane bioreactors — 11(11):22
Georgia
Atlanta's penalty for CWA violations is largest ever — 11(11):13
Dick Creek's sequencing batch reactor system — 11(11):29
Great Lakes
Monitoring results Taxa-poor — 11(7):56
Proposal bans mixing zones for bioaccumulative chemicals — 11(11):8
Relationship between mussels and fish populations in — 11(12):74
Sediment remediation improves — 11(10):12
Groundwater
Cryogenic barrier isolates contaminants — 11(6):64
Effects of war in Kuwait — 11(6):29
Exceeds nitrate standards under farms — 11(4):76
Existence on two Jupiter moons — 11(2):15
Pollutants migrate to in highly organic soil — 11(12):74
Model predicts effects of golf course pesticides — 11(1):14
Protocol for evaluating natural attenuation of contaminants — 11(4):8
Radionuclides tested for buoyancy in — 11(5):82

H
Hanzon, Boyd D.
Ultraviolet filtration system design and operation — 11(11):34
Hatoum, Walid
Establishing a successful stormwater utility — 11(6):36

I
Ihde, David J.
Army base upgrades pretreatment system — 11(3):43
Infiltration and inflow
Caused by private service connections — 11(2):18
Information management
Construction management Web sites — 11(12):47
Efficient research methods — 11(12):40
Laboratory information management system has uses outside lab — 11(12):36

Internet
Construction management Web sites — 11(12):47
Efficient research methods — 11(12):40
Inyan, Barbara J.
Protecting high-elevation watersheds — 11(2):51
Isaac, Russell A.
Water quality criteria inappropriate for metals — 11(9):40

J
Jin, Guang
Lake Pontchartrain, La., stormwater research project — 11(9):32
Johnson, Art
Sediment cleanup in Commencement Bay, Wash. — 11(6):51
Johnson, Gary
Plant retrofits cut nitrogen loadings to sound — 11(7):47
Johnson, Walter S.
Biological phosphorus removal — 11(3):28
Jones, James
Construction management Web sites — 11(12):47
Jordan
Wastewater services will improve — 11(6):17
Joyce, Jim
Bioscrubber design — 11(2):37

K
Kays, Jonathon
Mine reclamation method for biosolids — 11(5):42
Kennedy, Laurie
Water quality criteria inappropriate for metals — 11(9):40
Kimball, Warren A.
Water quality criteria inappropriate for metals — 11(9):40
Klebs, Paul
Sequencing batch reactor system — 11(11):29
Kolo, Laura E.
Membrane filtration method for coliform — 11(4):57
Kourehdar, Mohsen
Sediment cleanup in Commencement Bay, Wash. — 11(6):51
Kowalczyk, Joseph
Emergency response construction projects — 11(8):40
Kowalik, Jim
Activated sludge system reduces VOCs — 11(11):43

L
Lee, Mary C.
Biological phosphorus removal — 11(3):28
Legal
Appropriate scientific evidence of VOCs — 11(11):72
Clean Water Act does not regulate nonpoint sources — 11(1):72
Improving contract claims process — 11(4):88
Lawsuits pressure U.S. EPA, states to establish TMDLs — 11(10):20
Stormwater permits need not comply with water quality standards — 11(10):72
Struggles over environmental justice guidance — 11(3):64
Legislation
105th Congress ignores Clean Water Act reauthorization — 11(1):17
Law would forbid chemical companies to publish worst-case scenarios — 11(9):26
Maryland's comprehensive nutrient management act — 11(5):20
Mitigation banking bill spurs wetlands debate — 11(8):16
Proposed repeal could increase infrastructure needs — 11(12):14
U.S. president's concerns about Water Resources Development Act — 11(10):8
Leveque, Eric G.
Biological phosphorus removal — 11(3):28
Levin, Diane E.
Benchmarking metrics — 11(7):30
Levine, Leonard
Activated sludge system reduces VOCs — 11(11):43
Lindsey, Bernrie
Microbiologically influenced corrosion — 11(4):61
Louisiana
New Orleans' hurricane preparations — 11(5):30
Lake Pontchartrain stormwater research project — 11(9):32

M
Macpherson, Linda
New media technologies ideal for public education — 11(9):51
Madison, Mark
Hydraulic grade line status method — 11(12):56
Mahin, Tom
Waterborne pathogens — 11(4):51
Management
Benchmarking metrics — 11(7):30
Benchmarking uses and abuses — 11(7):24
Competitive plant evaluations — 11(7):35
Construction management approach — 11(8):34
Construction management Web sites — 11(12):47
Public–private partnerships — 11(8):57
QualServe complements consultant efforts — 11(9):8
Using biosolids on utility-owned land — 11(1):23
Marshall, Tom
Pulsed ultraviolet disinfection — 11(4):37
Mercuri, Joyce
Sediment cleanup in Commencement Bay, Wash. — 11(6):51
Metals
Inexpensive arsenic removal process — 11(3):50
Lake bacteria keep metals in sediment — 11(3):50
Mercury levels in tuna — 11(8):8
Stricter arsenic standard needed — 11(7):14
U.S. EPA adopts sensitive mercury test — 11(9):12
Water quality criteria inappropriate for — 11(9):40
Michnovez, Eric
Addressing the year 2000 (Y2K) computer problem — 11(1):46
Miller, James R.
Nondisruptive stormwater system repairs — 11(10):40
Miller, Susan P.
Army base upgrades pretreatment system — 11(3):43
Modeling
Including drainage data in hydrologic models — 11(7):22
Natural disasters — 11(2):26
Effects of golf course pesticides on groundwater — 11(1):14
Moody, Tod C.
Sulfide suppression — 11(2):45
Mosley, Dale
Nashville, Tenn's sewer separation project — 11(6):42
Mosteller, L. Kevin
Chlorine disinfection mystery — 11(4):42

N
Natural disasters
Earthquake-proof steel connections — 11(11):52
Emergency response construction projects — 11(8):40
Modeling of — 11(2):26
New Orleans' hurricane preparations — 11(5):30
Natural systems
Constructed wetlands for small flows — 11(5):38
Effects of large macrophytes in constructed wetlands — 11(9):55

Mussels filter wastewater — 11(4):76
Neely, S. Kim
Chlorine disinfection mystery — 11(4):42
Neethling, J.B.
Chlorine disinfection mystery — 11(4):42
Neu, Kenneth E.
Moving-bed biofilm reactors — 11(1):27
Nevada
Clark County's biological phosphorus removal system — 11(3):28
Newlands, Doug
King County, Wash.'s digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34
Newman, Gary
King County, Wash.'s digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34
Newvine, Lynn A.
Membrane filtration method for coliform — 11(4):57
Nonpoint source pollution
Land use key to management — 11(1):41
U.S. agencies control, produce — 11(7):10
Norton, Dale
Sediment cleanup in Commencement Bay, Wash. — 11(6):51
Norton, Michael
Hydraulic grade line status method — 11(12):56
Nutrients
Algae consumes nitrogen in cow manure — 11(2):59
Bedrock could be source of high nitrate in streams — 11(1):15, 11(2):59
Biological phosphorus removal — 11(3):28
Converting nitrates to nitrogen gas — 11(8):82
Experimental removal system — 11(4):76
Maryland's comprehensive management act — 11(5):20
Phosphorus concentrations higher in urban, agricultural areas — 11(40):76
Phosphorus concentrations in manure (letter) — 11(7):6
Plant retrofits cut nitrogen loadings to sound — 11(7):47
Removal needed to protect Florida's coral reefs — 11(8):12
Removal program helps restore Chesapeake Bay — 11(8):22
Urease inhibitor increases nitrogen content in manure — 11(3):23

O
Odor control
Activated sludge diffusion — 11(2):30
Bioscrubber design to improve — 11(2):37
Sulfide suppression — 11(2):45
Urease inhibitor stops manure odors — 11(3):23
Oppelt, Michael K.
Activated sludge system reduces VOCs — 11(11):43
Oppenheimer, Joan
Membrane bioreactors — 11(11):22
Otis, Richard J.
Small-diameter sewers — 11(1):34

P
Pancorbo, Oscar
Waterborne pathogens — 11(4):51
Pathogens
Aquatic plants linked to die-off — 11(8):82
DNA chip detects — 11(12):19
Membrane filtration method for coliform — 11(4):57
Waterborne — 11(4):51
Viruses in "safe" water — 11(12):16
Pennsylvania
Growing Greener Initiative — 11(6):6
Permitting
Application rules modified — 11(10):8
Process to be streamlined — 11(5):10
Congress asks about backlog — 11(7):17
Perry, Mark W.
Effects of large macrophytes in constructed wetlands — 11(9):55
Peterson, Wiff
Competitive plant evaluations — 11(7):35
Picard, Michael
Emergency response construction projects — 11(8):40
Pizkin, Andy
Microbiologically influenced corrosion — 11(4):61
Policy
European water proposal postponed — 11(2):8
Post, Rebecca
Effects of large macrophytes in constructed wetlands — 11(9):55
Pretreatment
Army base upgrades pretreatment system — 11(3):43
Pharmaceutical manufacturing effluent discharges to be reduced — 11(1):6
Mercury treatment for dental-amalgam waste — 11(2):59
WEF, AMSA concerned about streamlining proposal — 11(12):12
Prins, J.G. "Koos"
Hydraulic grade line status method — 11(12):56
Project XL
Permitting, reporting streamlined for Massachusetts businesses — 11(1):6
Public education
American Rivers' efforts — 11(3):20
Contaminated fish warnings — 11(5):13
Inclusion in natural resources decisions — 11(11):16
New media technologies ideal for — 11(9):51
Opposition sidelines water reuse projects — 11(5):16
Pathogen museum exhibit — 11(5):12
Poultry company president's advice — 11(1):20
South Carolina river cleanup — 11(4):13
"Think before flushing" campaign — 11(8):6
Voluntary program speeds sewer separation — 11(8):20
Water quality-related needs — 11(5):34

Q
Quality control
National Environmental Laboratory Accreditation Program — 11(7):41

R
Reale, Dom
Sediment cleanup in Commencement Bay, Wash. — 11(6):51
Regulation
Amendments to ocean discharge rules — 11(4):8
Hazardous emissions standards proposed for some treatment works — 11(2):6
New waterway cleanup plan to be proposed — 11(10):8
New Jersey county resolution would let residents inspect facilities — 11(3):14
Phase 2 stormwater regulations — 11(6):88
POTW involvement in water quality standards overhaul — 11(8):104
Proposal bans Great Lakes mixing zones for bioaccumulative chemicals — 11(11):8
Proposal clarifies *impaired waterbodies* — 11(7):20
Re-engineered Louisiana DEQ — 11(6):22
Region 1 issues first water quality standards variance — 11(2):20
Total maximum daily loads proposal overhauled — 11(5):29

Tough new Toxics Release Inventory rules — 11(3):8
Unified watershed management policy proposed — 11(10):22
Voluntary audit policy evaluated — 11(8):6
WEF, AMSA concerned about streamlining proposal — 11(12):12
Which constituent forms regulated (letter) — 11(1):12
U.S. EPA must approve state, tribal water quality standards — 11(11):13

Reil, Julie D.
Hydraulic grade line status method — 11(12):56

Reporting
Electronic compliance — 11(7):17

Research
Activated carbon from coal-fired plant waste — 11(6):65
Air and water monitoring technologies — 11(7):56
Airborne mercury contamination plans — 11(5):10
Deaths caused by environmental factors — 11(3):22
Faster identification technique for organics — 11(11):52
Global inventory of chlorine emissions — 11(9):17
Hybrid membrane to treat hazardous liquids — 11(11):52
New center evaluates chemicals for reproduction risks — 11(3):22
Offshore toxics may be dissolving — 11(6):64
Parasite causes frog deformity — 11(8):8
Pfiesteria study — 11(3):50
Proposal for chemical effects on hormones — 11(5):10
Prosperity, progress improve environment — 11(6):10
Salamanders monitor stream health — 11(10):59
Septic system alternative — 11(6):64
Sleek black weevil to fight aquatic fern — 11(10):59

Resource Conservation and Recovery Act (RCRA)
Settlement benefits Idaho City — 11(1):6

Riek, George C.
Sulfide suppression — 11(2):45

Risk management program
Law would forbid chemical companies to publish worst-case scenarios — 11(9):26
Modifications to plan requirements — 11(3):8
Offsite consequence data kept off Internet — 11(3):16
Program requirements — 11(5):57
U.S. EPA issues final forms for — 11(5):10

Rose, Duncan
Establishing a successful stormwater utility — 11(6):36

Roth, Geoff N.
Membrane filtration method for coliform — 11(4):57

Roth, John N.
Membrane filtration method for coliform — 11(4):57

Runoff
Legume mulch reduces — 11(12):18
Microfiltration plant to clean up — 11(2):17
Pork producers agree to voluntary audit program — 11(2):6
Sensor detects chemical residues — 11(4):12

Russell, David L.
Risk management program requirements — 11(5):57

Rusten, Bjorn
Moving-bed biofilm reactors — 11(1):27

Rynowecer, Michael B.
Benchmarking metrics — 11(7):30

S

Safety
Common on-the-job hazards — 11(6):47

Sanitary sewer overflows (SSOs)
Municipal caucus walks out on U.S. EPA talks — 11(10):17

Sarouhan, Brian
Microbiologically influenced corrosion — 11(4):61

Schrieve, Garin
Sediment cleanup in Commencement Bay, Wash. — 11(6):51

Schoettle, Thomas
Emergency response construction projects — 11(8):40

Schulz, Robert S.
Small-diameter sewers — 11(1):34

Schuster, Craig A.
Nondisruptive stormwater system repairs — 11(10):40

Sediment
Cleanup in Commencement Bay, Wash. — 11(6):51

Seidel, Andy
Public–private partnerships — 11(8):57

Shepherd, William
Biological phosphorus removal — 11(3):28

Small flows
Constructed wetlands for — 11(5):38
Environmental assistance for small communities — 11(2):23
Moving-bed biofilm reactor treatment — 11(1):27

Smart growth
Alternative to urban sprawl — 11(4):28
Movement continues to build momentum — 11(10):26

Smith, Dave
Sediment cleanup in Commencement Bay, Wash. — 11(6):51

Smith, Roy-Keith
National Environmental Laboratory Accreditation Program — 11(7):41

Software
Laboratory information management system has uses outside lab — 11(12):36

Solids treatment
Egg-shaped digesters — 11(10):28
King County, Wash.'s digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34
Temperature-phased anaerobic digestion — 11(3):24

Sorensen, Harvey
Bioscrubber design — 11(2):37

Stormwater
Collection system overflows not a wet weather issue — 11(12):88
Establishing a successful utility — 11(6):36
Green roofs manage — 11(12):18
Lake Pontchartrain, La., research project — 11(9):32
Massachusetts to halt illegal discharges to river basin — 11(2):6
Nondisruptive system repairs — 11(10):40
Permits need not comply with water quality standards — 11(10):72
Phase 2 regulations — 11(6):88
WEF briefing on — 11(6):24

Summers, John
Sediment cleanup in Commencement Bay, Wash. — 11(6):51

Sweeney, Neal J.
Construction management approach — 11(8):34

T

Tedaldi, Dante
Microbiologically influenced corrosion — 11(4):61

Tennessee
Nashville's sewer separation project — 11(6):42

Texas
Gulf Coast Waste Disposal Authority's activated sludge system reduces VOCs — 11(11):43

Tischler, Lial
Activated sludge system reduces VOCs — 11(11):43

Total maximum daily loads (TMDLs)
Proposal comment period extended — 11(11):8

Proposal comment period extended again — 11(12):8
Proposal overhauled — 11(5):29
Lawsuits pressure U.S. EPA, states to establish — 11(10):20
Trussell, Rhodes
Membrane bioreactors — 11(11):22

U
Umble, Art K.
Membrane filtration method for coliform — 11(4):57
U.S. Department of Agriculture (USDA)
Removes biosolids from proposed National Organic Program — 11(11):20
Stream protection funds — 11(1):6
U.S. Environmental Protection Agency (EPA)
1999 beach health survey — 11(8):6
Allocates $1 million for dioxin emergency — 11(4):8
Career employees promoted to top posts — 11(11):8
Issues draft guidance on public–private partnerships — 11(12):8
Plans to outsource lab evaluation programs — 11(7):10
Strategy to reduce toxic chemicals — 11(4):8

V
Vigilia, Rudy
Ultraviolet filtration system design and operation — 11(11):34
Virginia
Voluntary program speeds Lynchburg's sewer separation — 11(8):20
Volatile organic compounds (VOCs)
Activated sludge system reduces — 11(11):43
Appropriate scientific evidence of — 11(11):72
Voss, Denton
Egg-shaped digesters — 11(10):28

W
Ward, Faith
Efficient Internet research methods — 11(12):40
Washington state
King County's digested solids meet 40 *CFR* 503 at reduced detention times — 11(10):34
Sediment cleanup in Commencement Bay — 11(6):51
Water Environment Federation
Awards — 11(10): 44
Briefing on animal feeding operations, wet weather issues — 11(6):24
Comments on U.S. EPA water quality standards — 11(4):6
Report on infrastructure needs — 11(4):17
Water quality
American Farm Bureau Federation issues first report on — 11(4):26
Comments on U.S. EPA standards — 11(4):6, 20
Criteria inappropriate for metals — 11(9):40
Cuyahoga River improvements — 11(6):30
European violations — 11(12):8
Important to poultry industry — 11(1):20
National assessment program — 11(6):18
Poor in New England — 11(7):56
POTW involvement in standards overhaul — 11(8):104
Public education needed — 11(5):34
Region 1 issues first standards variance — 11(2):20
Stormwater permits need not comply with — 11(10):72
Weather pattern effects on coastal — 11(9):170
U.S. EPA must approve state, tribal standards — 11(11):13
Water reuse
Bamboo irrigation — 11(1):34
Debate continues (letter) — 11(11):6
Education not the issue (letter) — 11(7):6
Filtering algae-laden effluent — 11(5):65
Indirect potable reuse — 11(5):71
Objection (letter) — 11(6):8
Public opposition sidelines projects — 11(5):16
Sequencing batch reactor system — 11(11):29
Water use
More people using less — 11(1):15
Resources dwindling — 11(7):15
Waters, Jeff
Lake Pontchartrain, La., stormwater research project — 11(9):32
Watershed management
Adaptive plan for Apalachiacola Bay, Fla. — 11(6):32
Assessments reveal priorities — 11(7):19
Association of Metropolitan Sewerage Agencies bill — 1(6):18
Crab harvests should be curbed — 11(5):12
Effects of Balkan war — 11(9):12
Everglades restoration plan — 11(9):21
Farmers can afford to clean up Gulf of Mexico — 11(10):59
Philadelphia academy to help assess U.S. watersheds — 11(9):170
Plan for Illinois River — 11(5):24
Protecting high-elevation watersheds — 11(2):51
Sediment cleanup in Commencement Bay, Wash. — 11(6):51
Surveilling water weeds — 11(10):14
Threats to U.S. rivers — 11(6):16
Unified policy proposed — 11(10):22
U.S. Geological Survey recommends holistic approach — 11(6):18
WEFTEC
Preview — 11(8):25, 11(9):69
Wrapup — 11(12):21
Wetlands
Constructed for small flows — 11(5):38
Discharge of dredged material redefined — 11(9):12
Effects of large macrophytes in constructed — 11(9):55
Mitigation banking bill spurs debate over — 11(8):16
Restoration grants for — 11(8):6
Small ones important — 11(1):57
Tulloch rule defeated in court — 11(3):8
Whitman, Eliza-Jane
Membrane bioreactors — 11(11):22
Whitson, Joe
Nashville, Tenn's sewer separation project — 11(6):42
Whole effluent toxicity (WET)
Corrections to guidelines — 11(4):8
Testing variability (letter) — 11(1):10
Williams, Chuck
Effects of large macrophytes in constructed wetlands — 11(9):55
Williams, Corey
Laboratory information management system has uses outside lab — 11(12):36
Williams, Mark W.
Protecting high-elevation watersheds — 11(2):51
Wilson, Allison S.
Laboratory information management system has uses outside lab — 11(12):36
Wistrom, Anders O.
Primary effluent filtration — 11(3):37

Y
Year 2000 (Y2K) computer problem
Addressing the problem — 11(1):46
External factors could plague utilities — 11(5):14
Most U.S. facilities ready — 11(12):11
NIOSH launches Web forum — 11(6):6
Planning for external contingencies important (letter) — 11(6):10
Tests demonstrate utilities' success — 11(10):8
U.S. EPA's final enforcement policy — 11(5):10
U.S. EPA policy on related permit violations — 11(3):18